Product datasheet

Specifications

Actassi S-110 Connector RJ45 Keystone Unshielded Cat5e Black bag x 1

ACTRJSM5ENSUBK

Discontinued on: 23 Jan 2021

Discontinued

Main

Range	Actassi
Product brand	Schneider Electric
product type	RJ45 network socket
Device presentation	Two piece design
Provided equipment	Without shutter
Colour tint	Black
Wiring Colour configuration	TIA-568A/B
Type of packing	Plastic bag and carton
Quantity per set	Set of 1

Complementary

[In] rated current	1.5 A at 25 °C
voltage proof	1000 V AC/DC peak, between contacts
Contact resistance	20 mOhm
Insulation resistance	Initial insulation resistance: >= 500 MOhm at 100 V DC
AWG gauge	AWG 24...AWG 22
contact pins	8 pins of copper alloy and gold plated conforming to FCC part 68 Subpart F 8 pins conforming to IEC 60603-7
Tool type	Punch down tool Quick termination tool
Cable outer diameter	0.9…1.4 mm
compatible LAN cable types	UTP
Communication network category	5e
supported applications	1000BASE-T
protocols	PoE+ (Power over Ethernet) VoIP (Voice IP)
Connections - terminals	IDC
Product compatibility	RJ45 plug
Type of footprint	S-110 keystone
Height	22 mm
Width	16 mm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Targeted region	Asia Pacific. North America.

Environment

operational temperature range	-10…60 °C
Ambient air temperature for storage	-20…70 °C
climatic category	40/070/21 (21 days)
Flame retardance	UL94-V0 conforming to UL listed
Product certifications	FCC part 68 F IEC 60603-7
Standards	AS/NZS 3080:2003 IEC 60603-7-2 ISO/IEC 11801:2011 Ed.2.2

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.6 cm
Package 1 Width	1.6 cm
Package 1 Length	3.3 cm
Package 1 Weight	10.5 g

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Longer

Lifetime extension

Repair	No